

Julkaisut 2008

Oksanen A, Pöyhönen T, **Ylinen JJ**, Metsähonkala L, Anttila P, Laimi K, Hiekkanen H, Aromaa M, Salminen JJ, Sillanpää M. Force production and EMG activity of neck muscles in adolescent headache. *Disabil Rehabil* 2008;30:231-9.

Ståhl M, Kautiainen H, El-Metwally A, **Häkkinen A**, **Ylinen J**, Salminen JJ, Mikkelsen M. Non-specific neck pain in schoolchildren: Prognosis and risk factors for occurrence and persistence. A 4-year follow-up study. *Pain* 2008 Jul 15 137(2) 361-22.

Puolakka K, **Ylinen J**, Neva MH, Kautiainen H, **Häkkinen A**. Risk factors for back pain-related loss of working time after surgery for lumbar disc herniation: a 5-year follow-up study. *Eur Spine J* 2008 Mar 17(3) 368-92.

Paltamaa J, **Sarasoja T**, Leskinen E, Wikström J, Mälkiä E. Measuring Deterioration in International Classification of Functioning Domains of People With Multiple Sclerosis Who Are Ambulatory. *Phys Ther* 2008; 88:176-90.

Valkeinen H, **Häkkinen A**, Alén M, **Hannonen P**, Harjula-Kukkonen K, Häkkinen K. Physical fitness and health-related quality-of-life of elderly women with fibromyalgia in comparison to healthy women. *Int J Sports Med* 2007 Oct 24; [Epub ahead of print]

Tarnanen S, **Ylinen J**, Siekkinen K, Mälkiä E, **Häkkinen A**. Electromyographic activity of the back and abdominal muscles during the performance of isometric exercises. *Arch Phys Med Rehabil*. 2008 Mar;89(3):513-21.

Rezasoltani A, **Ylinen J**, Bakhtiari AH, Norouzi M, Montazeri M. Cervical muscle strength measurement is dependent on the location of thoracic support. *Br J Sports Med* 2008 May 42 (5) 379-82.

Tomas-Carus P, Gusi N, **Häkkinen A**, Häkkinen K, Leal A, Ortega-Alonso A. Eight months of physical training in warm water improves physical and mental health in women with fibromyalgia: a randomized controlled trial. *J Rehabil Med*. 2008 Apr;40(4):248-52.

Häkkinen A, Makinen H, **Ylinen J**, **Hannonen P**, **Sokka T**, Neva M, Kautiainen H, Kauppi M. Stability of the upper neck during isometric neck exercises in rheumatoid arthritis patients with atlantoaxial disorders. *Scand J Rheumatol*. 2008 Sep-Oct;37(5):343-7.

Vuorenmaa M, **Ylinen J**, **Kiviranta I**, **Intke A**, Kautiainen HJ, Mälkiä E, **Häkkinen A**. Changes in pain and physical function during waiting time and 3 months after knee joint arthroplasty. *J Rehabil Med*. 2008 Jul;40(7):570-5.

Valkeinen H, Alén M, **Häkkinen A**, **Hannonen P**, Kukkonen-Harjula K, Häkkinen K. Effects of concurrent strength and endurance training on physical fitness and symptoms in postmenopausal women with fibromyalgia: a randomized controlled trial. *Arch Phys Med Rehabil*. 2008 Sep;89(9):1660-6.

Häkkinen A, Kautiainen H, **Hannonen P**, **Ylinen J**. Strength training and stretching versus stretching only in the treatment of patients with chronic neck pain: a randomized one-year follow-up study. *Clin Rehabil*. 2008 Jul;22(7):592-600.

Sillanpää E, **Häkkinen A**, **Nyman K**, Mattila M, Cheng S, Karavirta L, Laaksonen DE, Huuhka N, Kraemer WJ, Häkkinen K. Body composition and fitness during strength and/or endurance training in older men. *Med Sci Sports Exerc*. 2008 May;40(5):950-8.

Kyröläinen H, Häkkinen K, Kautiainen H, Santtila M, Pihlainen K, **Häkkinen A**. Physical fitness, BMI and sickness absence in male military personnel. *Occup Med (Lond)*. 2008 Jun;58(4):251-6. Epub 2008 Feb 22.

Karavirta L, Tulppo MP, **Nyman K**, Laaksonen DE, Pullinen T, Laukkanen RT, Kinnunen H, **Häkkinen A**, Häkkinen K. Estimation of maximal heart rate using the relationship between heart rate variability and exercise intensity in 40-67 years old men. *Eur J Appl Physiol*. 2008 May;103(1):25-32. Epub 2008 Jan 11.

Sokka T, **Häkkinen A**, Kautiainen H, Maillefert JF, Toloza S, Mørk Hansen T, Calvo-Alen J, Oding R, Liveborn M, Huisman M, Alten R, Pohl C, Cutolo M, Immonen K, Woolf A, Murphy E, Sheehy C, Quirke E, Celik S, Yazici Y, Tlustochowicz W, Kapolka D, Skakic V, Rojkovich B, Müller R, Stropuviene S, Andersone D, Drosos AA, Lazovskis J, Pincus T; QUEST-RA Group. Physical inactivity in patients with rheumatoid arthritis: data from twenty-one countries in a cross-sectional, international study. *Arthritis Rheum*. 2008 Jan 15;59(1):42-50.

Sokka T, **Häkkinen A**. Poor physical fitness and performance as predictors of mortality in normal populations and patients with rheumatic and other diseases. *Clin Exp Rheumatol* 2008; 26 (Suppl. 51): S14-S20.

Häkkinen A, Kukka A, **Onatsu T**, Jarvenpää S, Heinonen A, Kyrolainen H, Tomas-Carus P, **Kallinen M** Health-related quality of life and physical activity in persons at high risk for type 2 diabetes. *Disabil Rehabil*. 2008 Nov 25:1-7

Sokka T, Abelson B, Pincus T: Mortality in rheumatoid arthritis 2008 update. *Clin Exp Rheumatol* 2008;26:35-61.

Pincus T, **Sokka T**: Mortality in rheumatic diseases: introduction. *Clin Exp Rheumatol* 2008;26:1-4.

Sokka T, Pincus T: Ascendancy of weekly low-dose methotrexate in usual care of rheumatoid arthritis from 1980 to 2004 at two sites in Finland and the United States. *Rheumatology* 2008;47:1543-1547.

Pincus T, **Sokka T**: Should an order to monitor long-term vital signs, including mortality outcomes, be as routine as an order for a laboratory test in patients with rheumatic diseases? *Clin Exp Rheumatol* 2008;26:21-24.

Chung CP, Oeser A, Solus JF, Gebretsadik T, Shintani A, Avalos I, **Sokka T**, Raggi P, Pincus T, Stein CM: Inflammation-associated insulin resistance. *Arthritis & Rheumatism* 2008;57:2105-2112.

Pincus T, Yazici Y, **Sokka T**: Are excellent systematic reviews of clinical trials useful for a patient care? *Nat Clin Pract Rheumatol*. 2008 Jun;4(6):294-5

Mäkinen H, Hannonen P, Sokka T: Sex: a major predictor of remission as measured by 28-joint disease activity score (DAS28) in early rheumatoid arthritis? *Ann Rheum Dis* 2008;67:1052-1053.

Sokka T, Envalds M, Pincus T: Treatment of rheumatoid arthritis: a global perspective on the use of antirheumatic drugs. *Mod Rheumatol* 2008;18:228-39.

Pincus T, **Sokka T**: Quantitative clinical assessment in busy rheumatology settings: the value of short patient questionnaires. *The journal of rheumatology* 2008;35:1235-1236.

Sokka T: Northern highlights in rheumatology: Future rheumatol 2008;3:121-126.

Sokka T: Radiographic scoring in rheumatoid arthritis. *Bulletin of the NYU hospital for Joint Diseases* 2008;66:166-8.

Naranjo A, **Sokka T**, Descalzo MA, Calvo-Alén J, Hørslev-Petersen K, Luukkainen RK, Combe B, Burmester GR, Devlin J, Ferraccioli G, Morelli A, Hoekstra M, Majdan M, Sadkiewicz S, Belmonte M, Holmqvist AC, Choy E, Tunc R, Dimic A, Bergman M, Toloza S, Pincus T; QUEST-RA Group: Cardiovascular disease in patients with rheumatoid arthritis: results from the QUEST-RA study. *Arthritis Res Ther*. 2008;10(2):R30.

Sokka T, Hetland ML, **Mäkinen H**, Kautiainen H, Hørslev-Petersen K, Luukkainen RK, Combe B, Badsha H, Drosos AA, Devlin J, Ferraccioli G, Morelli A, Hoekstra M, Majdan M, Sadkiewicz S, Belmonte M, Holmqvist AC, Choy E, Burmester GR, Tunc R, Dimić A, Nedović J, Stanković A, Bergman M, Toloza S, Pincus T; Questionnaires in Standard Monitoring of Patients With Rheumatoid Arthritis Group: Remission and rheumatoid arthritis. *Arthritis Rheum*. 2008 Sep;58(9):2642-51.

Aletaha D, Landewe R, Karonitsch T, Bathon J, Boers M, Bombardier C, Bombardieri S, Choi H, Combe B, Dougados M, Emery P, Gomez-Reino J, Keystone E, Koch G, Kvien TK, Martin-Mola E, Matucci-Cerinic M, Michaud K, O'Dell J, Paulus H, Pincus T, Richards P, Simon L, Siegel J, Smolen JS, **Sokka T**, Strand V, Tugwell P, van der Heijde D, van Riel P, Vlad S, van Vollenhoven R, Ward M, Weinblatt M, Wells G, White B, Wolfe F, Zhang B, Zink A, Felson D: Reporting disease activity in clinical trials of patients with rheumatoid arthritis: EULAR/ACR collaborative recommendations. *Ann Rheum Dis*. 2008 Oct;67(10):1360-4.

Karonitsch T, Aletaha D, Boers M, Bombardieri S, Combe B, Dougados M, Emery P, Felson D, Gomez-Reino J, Keystone E, Kvien TK, Martin-Mola E, Matucci-Cerinic M, Richards P, van Riel P, Siegel J, Smolen JS, **Sokka T**, van der Heijde D, van Vollenhoven R, Ward M, Wells G, Zink A, Landewe R: Methods of deriving EULAR/ACR recommendations on reporting disease activity in clinical trials of patients with rheumatoid arthritis. *Ann Rheum Dis*. 2008 Oct;67(10):1365-73.

Solus J, Chung CP, Oeser A, Avalos I, Gebretsadik T, Shintani A, Raggi P, **Sokka T**, Pincus T, Stein CM: Amino-terminal fragment of the prohormone brain-type natriuretic peptide in rheumatoid arthritis. *Arthritis Rheum.* 2008 Sep;58(9):2662-9

Pincus T, Bergman M, **Sokka T**, Roth J, Swearingen C, Yazici Y: Visual analog scales in formats other than a 10 centimeter horizontal line to assess pain and other clinical data. *J Rheumatol.* 2008 Aug;35(8):1550-8.

Hakala M, Risteli J, Åman S, Kautiainen H, Korpela M, **Hannonen P**, Leirisalo-Repo M, Laaksonen L, Paimela L, Möttönen T for the FIN-RACo Group: Combination drug strategy in recent-onset rheumatoid arthritis suppresses collagen I degradation and is associated with retardation of radiological progression. *Scand J Rheumatol* 2008;37:90-93.

Auvinen S, Suominen T, **Hannonen P**, Bachinski L, Krahe R, Udd B: Myotonic dystrophy type 2 found in two of sixty-three persons diagnosed as having fibromyalgia. *Arthritis & Rheumatism* 2008:3627-3661.

Valtonen M, Laaksonen D, Tolmunen T, Nyysönen K, Viinamäki H, Kauhanen J, Niskanen L: Hopelessness – a novel facet of the metabolic syndrome in men. *Scand J of Public Health* 2008;36:795-802.

Karjalainen P, Ylitalo A, Niemelä M, Kervinen K, Mäkikallio T, Pietilä M, Sia J, Tuomainen P, **Nyman K**, Airaksinen J: Titanium-nitride-oxide coated stents versus paclitaxel-eluting stents in acute myocardial infarction: a 12-months follow-up report from the TITAX AMI trial. *Eurointerv* 2008;4:234-241.

Karjalainen P, Vikman S, Niemelä M, Porela P, Ylitalo A, Vaitinen M-A, Puurunen M, Airaksinen T, **Nyman K**, Vahlberg T, Airaksinen KEJ: Safety of percutaneous coronary intervention during uninterrupted oral anticoagulant treatment. *European heart journal* 2008;29:1001-1010.

Annala A-P, Karjalainen P, Porela P, **Nyman K**, Ylitalo A, Airaksinen KEJ: Safety of diagnostic coronary angiography during uninterrupted therapeutic warfarin treatment. *Am J Cardiol* 2008;102:386-390.

Mäkinen H, Kautiainen H, **Hannonen P**, **Sokka T**: A new disease activity index for rheumatoid arthritis: mean overall index for rheumatoid arthritis (MOI-RA). *The Journal of Rheumatology* 2008;35:8:1522-1527.

Forslund T, **Koistinen a**, **Anttinen J**, **Wagner B**, **Miettinen M**: Forty years abuse of baking soda, rhabdomyolysis, glomerulonephritis, hypertension leading to renal failure: a case report. *Clinical medicine: case reports* 2008;1:83-87.

Forslund T, Melin J, Seppä A: Primary osteosarcoma of the right heart ventricle and atrium; a case report. *Clinical medicine oncology* 2008;2:43-46.

Rummukainen M, Jakobsson A, Karppi P, Kautiainen H, Lyytikäinen O. Promoting hand hygiene and prudent use of antimicrobials in long-term care facilities. *Am J Infect Control.* 2009 Mar;37(2):168-71

Voutilainen M: Epidemiological trends in oesophageal cancer in the Nordic countries. *Scand J Gastroenterology* 2008;43:323-327.

Koivisto TT, **Voutilainen M,** Färkkilä MA: Symptoms, endoscopic findings and histology predicting symptomatic benefit of helicobacter pylori eradication. *Scand J Gastroenterology* 2008;43:810-816.

Koivisto TT, **Voutilainen M,** Färkkilä MA: Effect of smoking on gastric histology in Helicobacter pylori-positive gastritis. *Scand J Gastroenterology* 2008 43:1177-1183.

Saaristo TE, Barengo NC, Korpi-Hyövälti E, Oksa H, Puolijoki H, **Saltevo JT, Vanhala M,** Sundvall J, Saarikoski L, Peltonen M, Tuomilehto J. High prevalence of obesity, central obesity and abnormal glucose tolerance in the middle-aged Finnish population. *BMC Public Health.* 2008 Dec 29;8:423

Karjalainen J, Peltonen M, **Vanhala M,** Korpi-Hyövälti E, Puolijoki H, **Saltevo J,** Oksa H, Saaristo T, Tuomilehto J, Kujala UM. Leisure time physical activity in individuals with screen-detected type 2 diabetes compared to those with known type 2 diabetes. *Diabetes Res Clin Pract.* 2008 Jul;81(1):110-6.

Tuomilehto H, Peltonen M, Partinen M, Seppä J, Saaristo T, Korpi-Hyövälti E, Oksa H, Puolijoki H, **Saltevo J, Vanhala M,** Tuomilehto J. Sleep duration is associated with an increased risk for the prevalence of type 2 diabetes in middle-aged women – the FIN-D2D survey. *Sleep Med.* 2008 Mar;9(3):221-7

Saltevo J, Vanhala M, Kautiainen H, Kumpusalo E, Laakso M. Gender differences in C-reactive protein, interleukin-1 receptor antagonist and adiponectin levels in the metabolic syndrome: a population-based study. *Diabet Med.* 2008 Jun;25(6):747-50

Miettinen K, Lassus J, Harjola V-M, Siirilä-Waris K, **Melin J,** Punnonen KR, Nieminen MS, Laakso M, Peuhkurinen KJ: Prognostic role of pro- and anti-inflammatory cytokines and their polymorphisms in acute decompensated heart failure. *European Journal of Heart Failure* 2008;10:396-403.

Ilva T, Lassus J, Siirilä-Waris K, **Melin J,** Peuhkurinen K, Pulkki K, Nieminen MS, Mustonen H, Porela P, Harjola VP. Clinical significance of cardiac troponins I and T in acute heart failure

Eur J Heart Fail. 2008 Aug;10(8):772-9.

Rossinen J, Harjola VP, Siirila-Waris K, Lassus J, **Melin J**, Peuhkurinen K, Nieminen MS. The use of more than one inotrope in acute heart failure is associated with increased mortality: A multi-centre observational study. *Acute Card Care*. 2008;10(4):209-13

Lönnroos E: Vanhusten kolesterilääkitys yleistyy. *Suomen Lääkärilehti* 2008;63:176-179.

Lönnroos E, Kautiainen H, Sund R, **Karppi P**, Hartikainen S, **Kiviranta I**, Sulkava R: Utilization of inpatient care before and after hip fracture: a population-based study. *Osteoporos Int*. 2008 Sep 23.

Rovio PH, Luukkaala T, Vuento M, Oksa S, **Sundström H**, Heinonen PK: Ultrasonographic assessment of weight of the myomatous uterus: a pilot study using a new combined geometrical formula. *Eur J Obstet Gynecol Reprod Biol* 2008;137:193-7.

Heiskanen N, **Kröger J**, Kainulainen S, Heinonen S: Placenta percreta: methotrexate treatment and MRI findings. *Am J Perinatol* 2008;25:91-92.

Rosqvist E, **Aukee P**, **Kallinen M**, Rantanen T: Feasibility and acceptability of the pelvic floor muscle and bladder training programme. *International Journal of Urological Nursing* 2008;3:113-118.

Borg H, **Kiviranta I**, **Anttila E**, Hakkinen K, **Ylinen J**, Kautiainen H, **Hakkinen A**. External rotation strength deficit after hip resurfacing surgery. *Disabil Rehabil*. 2008 Dec 16:1-6

Pulkkinen HJ, Tiitu V, Valonen P, Hamalainen ER, Lammi MJ, **Kiviranta I**. Recombinant human type II collagen as a material for cartilage tissue engineering. *Int J Artif Organs*. 2008 Nov;31(11):960-9

Tiitu V, Pulkkinen HJ, Valonen P, Kiviranta O, Kiekara T, **Kiviranta I**, Lammi MJ. Recombinant human collagens as scaffold materials for chondrocyte cultures. *Biomed Mater Eng*. 2008;18(4-5):225-9

Tiitu V, Pulkkinen HJ, Valonen P, Pulliainen O, Kellomäki M, Lammi MJ, **Kiviranta I**. Bioreactor improves the growth and viability of chondrocytes in the knitted poly-L,D-lactide scaffold. *Biorheology*. 2008;45(3-4):539-46

Portegijs E, **Kallinen M**, Rantanen T, Heinonen A, Sihvonen S, Alen M, **Kiviranta I**, Sipilä S. Effects of resistance training on lower-extremity impairments in older people with hip fracture. *Arch Phys Med Rehabil.* 2008 Sep;89(9):1667-74.

Kiviranta P, Lammentausta E, Töyräs J, **Kiviranta I**, Jurvelin JS. Indentation diagnostics of cartilage degeneration. *Osteoarthritis Cartilage.* 2008 Jul;16(7):796-804

Kurkijärvi JE, Nissi MJ, Rieppo J, Töyräs J, **Kiviranta I**, Nieminen MT, Jurvelin JS. The zonal architecture of human articular cartilage described by T2 relaxation time in the presence of Gd-DTPA2-. *Magn Reson Imaging.* 2008 Jun;26(5):602-7

Rieppo J, Hallikainen J, Jurvelin JS, **Kiviranta I**, Helminen HJ, Hyttinen MM. Practical considerations in the use of polarized light microscopy in the analysis of the collagen network in articular cartilage. *Microsc Res Tech.* 2008 Apr;71(4):279-87

Jurvelin JS, Nieminen MT, Töyräs J, Risteli J, Laasanen MS, Konttinen YT, **Kiviranta I**: Fysikaaliset ja kemialliset menetelmät nivelrikon varhaisessa osoittamisessa. *Duodecim* 2008;1885-96.

Burn J, Bishop DT, **Mecklin JP**, Macrae F, Möslin G, Olschwang S, Bisgaard ML, Ramesar R, Eccles D, Maher ER, Bertario L, Jarvinen HJ, Lindblom A, Evans DG, Lubinski J, Morrison PJ, Ho JW, Vasen HF, Side L, Thomas HJ, Scott RJ, Dunlop M, Barker G, Elliott F, Jass JR, Fodde R, Lynch HT, Mathers JC; CAPP2 Investigators. Effect of aspirin or resistant starch on colorectal neoplasia in the Lynch syndrome. *N Engl J Med.* 2008 Dec 11;359(24):2567-78.

Mecklin JP. The implications of genetics in colorectal cancer. *Ann Oncol.* 2008 Jul;19 Suppl 5:v87-90.

Liljegren A, Barker G, Elliott F, Bertario L, Bisgaard ML, Eccles D, Evans G, Macrae F, Maher E, Lindblom A, Rotstein S, Nilsson B, **Mecklin JP**, Möslin G, Jass J, Fodde R, Mathers J, Burn J, Bishop DT. Prevalence of adenomas and hyperplastic polyps in mismatch repair mutation carriers among CAPP2 participants: report by the colorectal adenoma/carcinoma prevention programme 2. *J Clin Oncol.* 2008 Jul 10;26(20):3434-9.

Gylling AH, Nieminen TT, Abdel-Rahman WM, **Nuorva K**, **Juhola M**, Joensuu EI, Järvinen HJ, **Mecklin JP**, **Aarnio M**, Peltomäki PT. Differential cancer predisposition in Lynch syndrome: insights from molecular analysis of brain and urinary tract tumors. *Carcinogenesis.* 2008 Jul;29(7):1351-9. Epub 2008 Jun 12.

Watson P, Vasen HF, **Mecklin JP**, Bernstein I, Aarnio M, Järvinen HJ, Myrhøj T, Sunde L, Wijnen JT, Lynch HT. The risk of extra-colonic, extra-endometrial cancer in the Lynch syndrome. *Int J Cancer.* 2008 Jul 15;123(2):444-9.

Alhopuro P, Phichith D, Tuupainen S, Sammalkorpi H, Nybondas M, Saharinen J,

Robinson JP, Yang Z, Chen LQ, Orntoft T, **Mecklin JP**, Järvinen H, Eng C, Moeslein G, Shibata D, Houlston RS, Lucassen A, Tomlinson IP, Launonen V, Ristimäki A, Arango D, Karhu A, Sweeney HL, Aaltonen LA. Unregulated smooth-muscle myosin in human intestinal neoplasia. *Proc Natl Acad Sci U S A*. 2008 Apr 8;105(14):5513-8.

Siltanen S, Syrjäkoski K, Fagerholm R, Ikonen T, Lipman P, Mallott J, Holli K, Tammela TL, Järvinen HJ, **Mecklin JP**, Aittomäki K, Blomqvist C, Bailey-Wilson JE, Nevanlinna H, Aaltonen LA, Schleutker J, Vahteristo P. ARLTS1 germline variants and the risk for breast, prostate, and colorectal cancer. *Eur J Hum Genet*. 2008 Aug;16(8):983-91. Epub 2008 Mar 12.

Vasen HF, Möslin G, Alonso A, Aretz S, Bernstein I, Bertario L, Blanco I, Bülow S, Burn J, Capella G, Colas C, Engel C, Frayling I, Friedl W, Hes FJ, Hodgson S, Järvinen H, **Mecklin JP**, Møller P, Myrthøi T, Nagengast FM, Parc Y, Phillips R, Clark SK, de Leon MP, Renkonen-Sinisalo L, Sampson JR, Stormorken A, Tejpar S, Thomas HJ, Wijnen J. Guidelines for the clinical management of familial adenomatous polyposis (FAP). *Gut*. 2008 May;57(5):704-13. Epub 2008 Jan 14.

Tuupanen S, Niittymäki I, Nousiainen K, Vanharanta S, **Mecklin JP**, **Nuorva K**, Järvinen H, Hautaniemi S, Karhu A, Aaltonen LA. Allelic imbalance at rs6983267 suggests selection of the risk allele in somatic colorectal tumor evolution. *Cancer Res*. 2008 Jan 1;68(1):14-7.

Forslund T, **Nyman K**, **Sironen R**, Salmenkivi K: De-Novo IgA nephropathy and cyclosporine toxicity after heart transplantation. *Cell and Tissue Transplantation and Therapy* 2008;1:9-13.

Forslund T, **Koski A-M**, **Koistinen A**, **Sikiö A**: Malignant myeloma in a patient after treatment for osteoporosis with Teriparatide; a rare coincidence. *Clinical Medicine: Case reports* 2008;1:119-122.

Whincup PH, Kaye SJ, Owen CG, Huxley R, Cook DG, Anazawa S, Barrett-Connor E, Bhargava SK, Birgisdottir BE, Carlsson S, de Rooij SR, Dyck RF, Eriksson JG, Falkner B, Fall C, Forsén T, Grill V, Gudnason V, Hulman S, Hyppönen E, Jeffreys M, Lawlor DA, Leon DA, Minami J, Mishra G, Osmond C, Power C, Rich-Edwards JW, Roseboom TJ, Sachdev HS, Syddall H, Thorsdottir I, **Vanhala M**, Wadsworth M, Yarbrough DE. Birth weight and risk of type 2 diabetes: a systematic review. *JAMA*. 2008 Dec 24;300(24):2886-97.

Vanhala M, Jokelainen J, Keinänen-Kiukaanniemi S, Kumpusalo E, Koponen H. Depressive symptoms predispose females to metabolic syndrome: a 7-year follow-up study. *Acta Psychiatr Scand*. 2009 Feb;119(2):137-42.

Ahonen TM, Kautiainen HJ, Keinänen-Kiukaanniemi SM, Kumpusalo EA, **Vanhala MJ**. Gender difference among smoking, adiponectin, and high-sensitivity C-reactive protein. *Am J Prev Med*. 2008 Dec;35(6):598-601.

Jääskeläinen J, Korhonen S, Kuulasmaa T, Kurl S, Niskanen L, **Vanhala M**, Hippeläinen M, Voutilainen R, Heinonen S. Androgen receptor gene CAG repeat length in women with metabolic syndrome. *Gynecol Endocrinol*. 2008 Jul;24(7):411-6.

Erkkilä J, Gold C, Fachner J, Ala-Ruona E, Punkanen M, **Vanhala M**. The effect of improvisational music therapy on the treatment of depression: protocol for a randomised controlled trial. *BMC Psychiatry*. 2008 Jun 28;8:50.

Saltevo J, Laakso M, Jokelainen J, Keinänen-Kiukaanniemi S, Kumpusalo E, **Vanhala M**. Levels of adiponectin, C-reactive protein and interleukin-1 receptor antagonist are associated with insulin sensitivity: a population-based study. *Diabetes Metab Res Rev*. 2008 Jul-Aug;24(5):378-83.

Koponen H, Jokelainen J, Keinänen-Kiukaanniemi S, Kumpusalo E, **Vanhala M**. Metabolic syndrome predisposes to depressive symptoms: a population-based 7-year follow-up study. *J Clin Psychiatry*. 2008 Feb;69(2):178-82.

Tuomilehto H, Peltonen M, Partinen M, Seppä J, Saaristo T, Korpi-Hyövälti E, Oksa H, **Saltevo J**, Puolijoki H, **Vanhala M**: Sleep-disordered breathing is related to an increased risk for type 2 diabetes in middle-aged men, but not in women – the FIN-D2D survey. *Diabetes Obes Metab* 2008;10:468-75.

Vanhala M et al: Proinflammation and hypertension: a population based study. *Mediators Inflamm* 2008;619704 epublished

Ylinen J: Kuntoutustuelle vai eläkkeelle? *Suomen Lääkärilehti* 2008;21:1972-1973.

Karlsson S, Pettilä V, Tenhunen J, **Laru-Sompa R**, Hynninen M, Ruokonen E. HMGB1 as a predictor of organ dysfunction and outcome in patients with severe sepsis. *Intensive Care Med* 2008;34:1046-1053

Åberg L, Talling M, Härkönen T, Lönnqvist T, Knip M, **Alen R**, Rantala H, Tyynelä J: Intermittent prednisolone and autoantibodies to GAD65 in juvenile neuronal ceroid lipofuscinosis. *Neurology* 2008;70:1218-20.

Kulmala J, Era P, Heikkinen E, **Pärssinen O**, Sakari-Rantala R, Sipilä S, Rantanen T: Lowered vision as a risk factor for injurious accidents in older people. *Aging clinical and experimental research* 2008;20:25-30.

Kulmala J, Era P, Heikkinen E, **Pärssinen O**, Törmäkangas T, Rantanen T: Visual acuity and mortality in older people and factors on the pathway. *Ophthalmic epidemiology* 2008;15-128-134.

Virkkunen J, Venermo M, Saarinen J, Keski-Nisula L, Apuli P, Kankainen AL, Salenius J: Impact of endovascular treatment on clinical status and health-related quality of life. *Scand J Surg* 2008;971:50-5.

Rinne K, Laurikainen E, Kivelä A, **Aukee Pauliina**, Takala T, Valpas A, Nilsson CG: **A randomized trial comparing TVT with TVT-O: 12-month results.**

International Urogynecology Journal (2008) 19:1049-1054

Nieminen K, Hiltunen R, **Heiskanen Eila**, Takala T, Niemi K, Merikari M, Heinonen PK:

Symptom resolution and sexual function after anterior vaginal wall repair with or without polypropylene mesh. International Urogynecology Journal (2008) 19:1611-1616

Rovio PH, Luukkaala T, Vuento M, Oksa S, **Sundström Helena**, Heinonen PK:

Ultrasonographic assessment of weight of the myomatosus uterus: a pilot study using a new combined geometrical formula. Eru J Obstet Gynecol Reprod Biol 2008;137:193-7.

Heiskanen N, **Kröger Jaana**, Kainulainen S, Heinonen S: **Placenta Percreta: Methotrexate Treatment and MRI Findings.** Am J Perinatol 2008;25:91-92.

Rantanen V, **Yliskoski Merja**: **Miten tulkitseen Papa-vastausta?** Suomen Lääkärilehti 3/2008 vsk 63

Simen-Kapeu A, Kataja V, **Yliskoski M**, Syrjänen K, Dillner J, Koskela P, Paavonen J, Lehtinen M: Smoking impairs human papillomavirus (HPV) type 16 and 18 capsids antibody response following natural HPV infection. Scand J Infect Dis 2008;40:745-51.

Rantanen V, **Yliskoski M**: Mitä löytyy papa-muutoksen taka? Suomen Lääkärilehti 21/2008:1941-1945.

Pikkarainen E, Lehtonen-Veromaa M, Möttönen T, Kautiainen H, Viikari J: Estrogen-progestin contraceptive use during adolescence prevents bone mass acquisition: a 4-year follow-up study. Contraception. 2008 Sep;78(3):226-31

Forslund T, Koski A-M, Koistinen A, Sikiö A: Malignant myeloma in a patient after treatment for osteoporosis with teriparatide; a rare coincidence. Clinical medicine: case report 2008:119-122.

Länsipuro L, **Koski A-M**, Mäntyranta T, Mäkinen R: Kuinka arvioida vanhusten luunmurtumien riskiä? Suomen Lääkärilehti 2008;39:3208-3211.

Wadén J, Forsblom C, Thorn L, Saraheimo M, Rosengård-Börlund M, Heikkilä O, Lakka T, Tikkanen H, Groop P-e and the FinnDiane Study group* mm. **Forslund, Koskiaho, Laukkanen, Saltevo, Tiihonen, Koskiaho, Halonen, Koistinen, Leppänen, Koski** . Physical activity and diabetes complications in patients with type 1 diabetes. Diabetes care 2008;31:230-232.

Saraheimo M, Forsblom C, Thorn L, Waden J, Rosengård-Börlund M, Heikkilä O, Hietala K, Gordin D, Frysty J, Flybjerg A, Groop P-H FinnDiane Study* **Saltevo J**: Serum adiponectin and progression of diabetic nephropathy in patients with type 1 diabetes. Diabetes care 2008;31:1165-1169.

The Origin Trial Investigators * **Saltevo J**: Rationale, design and baseline characteristics for a large international trial of cardiovascular disease prevention in people with dysglycemia. *American Heart Journal* 2008;155:26-32.

Van Gaal LF, Scheen AJ, Rissanen A, Rössner S, Hanotin C, Ziegler O, and RIO-Europe Study group* **Saltevo J** (lehdessä painovirhe nimessä): Long-term effect of CB1, blockade with rimonabant on cardiometabolic risk factors: two year results from the RIO-Study group. *European Heart Journal* 2008;29:1761-1771.

Åberg L, Talling M, Härkönen T, Lönqvist T, Knip M, **Alen R**, Rantala H, Tyynelä J: Intermittent prednisolone and autoantibodies to GAD65 in juvenile neuronal ceroid lipofuscinosis. *Neurology* 2008;1:1218-20.

