

Gylfe AE, Sirkiä J, Ahlsten M, Järvinen H, **Mecklin JP**, Karhu A, Aaltonen LA. Somatic mutations and germline sequence variants in patients with familial colorectal cancer. *Int J Cancer*. 2010 Jun 29.

Aarnio MT, Mecklin JP, Voutilainen M: The role of surgery in Crohn's disease: a retrospective analysis from a single hospital. *Scand J Surg* 2010;99(4):208-12

Beggs AD, Latchford AR, Vasen HF, Moslein G, Alonso A, Aretz S, Bertario L, Blanco I, Bülow S, Burn J, Capella G, Colas C, Friedl W, Møller P, Hes FJ, Järvinen H, **Mecklin JP**, Nagengast FM, Parc Y, Phillips RK, Hyer W, Ponz de Leon M, Renkonen-Sinisalo L, Sampson JR, Stormorken A, Tejpar S, Thomas HJ, Wijnen JT, Clark SK, Hodgson SV. Peutz-Jeghers syndrome: a systematic review and recommendations for management. *Gut*. 2010 Jul;59(7):975-86.

Alhopuro P, Björklund M, Sammalkorpi H, Turunen M, Tuupanen S, Biström M, Niittymäki I, Lehtonen HJ, Kivioja T, Launonen V, Saharinen J, Nousiainen K, Hautaniemi S, Nuorva K, **Mecklin JP**, Järvinen H, Orntoft T, Arango D, Lehtonen R, Karhu A, Taipale J, Aaltonen LA. Mutations in the circadian gene CLOCK in colorectal cancer. *Mol Cancer Res*. 2010 Jul;8(7):952-60.

Niittymäki I, Kaasinen E, Tuupanen S, Karhu A, Järvinen H, **Mecklin JP**, Tomlinson IP, Di Bernardo MC, Houlston RS, Aaltonen LA. Low-penetrance susceptibility variants in familial colorectal cancer. *Cancer Epidemiol Biomarkers Prev*. 2010 Jun;19(6):1478-83.

Kaasinen E, Aittomäki K, Eronen M, Vahteristo P, Karhu A, **Mecklin JP**, Kajantie E, Aaltonen LA, Lehtonen R. Recessively inherited right atrial isomerism caused by mutations in growth/differentiation factor 1 (GDF1). *Hum Mol Genet*. 2010 Jul 15;19(14):2747-53.

Vasen HF, Moslein G, Alonso A, Aretz S, Bernstein I, Bertario L, Blanco I, Bulow S, Burn J, Capella G, Colas C, Engel C, Frayling I, Rahner N, Hes FJ, Hodgson S, **Mecklin J-P**, Moler P, Myrhoj T, Nagengast F, Parc Y, Ponz de Leon M, Renkonen-Sinisalo L, Sampson JR, Stormorken A, Tejpar S, Thomas HJ, Wijnen J, Lubinski J, Järvinen H, Claes E, Heinimann K, Karagiannis JA, Lindblom A, Dove-Edwin I, Muller H: Recommendations to improve identification of hereditary and familial colorectal cancer in Europe. *Fam Cancer* 2010;15;19:2747-53.

Collin K, Paloniemi S, **Mecklin J-P**: Promoting inter-professional teamwork and learning – the case of a surgical operating theatre. *Journal of Education and work*. 2010;23:43-63.

Mecklin JP, Rytönen A, Parkki J, Helenius M. Syövän hoito Keski-Suomessa, hoitokontaktit ja toimintatuotot erikoisaloittain ja syöpätyypeittäin (Distribution of cancer treatment costs among various specialities in Central Finland in 2008). Suomen Lääkärilehti 2010;32:2496-2502

Antikainen T, Silvennoinen M, Mecklin JP. Sappileikkausvahingot 2005-2007 (Complications related to cholecystectomies in 2005-2007). Suomen Lääkärilehti 2010;46:3777-3783.

Peltokorpi A, Torkki P, Tan J, Aitamurto J, Laakso-Salmenhaara L, Arnala I, **Mecklin JP**. Päiväkirurgian käytössä ja tuottavuudessa suuria eroja (The role and productivity development of day surgery units in central hospitals). Suomen Lääkärilehti 2010;49:4100.

Mecklin JP, Rytönen A, Parkki J, Helenius M. Syövän hoito Keski-Suomessa. Suomen Lääkärilehti 2010;32:2496-2502.

Anttinen J, Saltevo J, Mecklin JP: Duodecimin ensimmäisen kunniajäsenen syntymästä 200 vuotta. Duodecim 2010;126:1055-64.

Sillanpää E, **Häkkinen A**, Laaksonen DE, Karavirta L, Kraemer JW, Häkkinen K. Serum basal hormone concentrations, nutrition and physical fitness during strength and/or endurance training in 39-64-old women. Int J Sport Med 2010;31:110-117.

Piitulainen K, Ylinen J. Uudet protetisointikäytännöt tehostavat amputaatiopotilaiden kuntoutusta. Lääkärilehti 2010;65:499-503.

Häkkinen A, Borg H, **Kautiainen H, Anttila E**, Häkkinen K, **Ylinen J, Kiviranta I**. Muscle strength and range of movement deficits 1 year after hip resurfacing surgery using posterior approach. Disabil Rehabil. 2010;32(6):483-91.

Rantalainen T, Nikander R, Heinonen A, Multanen J, Häkkinen A, Jämsä T, **Kiviranta I**, Linnamo V, Komi PV, Sievänen H. Neuromuscular performance and body mass as indices of bone loading in premenopausal and postmenopausal women. Bone. 2010;46:964-9.

Salo P, Ylinen J, Kautiainen H, Arkela-Kautiainen M, Häkkinen A. Reliability and Validity of the Finnish Version of the Neck Disability Index and the Modified Neck Pain and Disability Scale. Spine 2010;35: 552-556. (Häkkinen kohdalla ei mainitaa KSSHP)

Ylinen J, Nikander R, Nykänen M, **Kautiainen H**, **Häkkinen A**. Effect of neck exercises on cervicogenic headache: A randomized controlled trial. *J Rehabil Med* 2010;42:344-349.

Holviala J, **Häkkinen A**, Karavirta L, **Nyman K**, Izquierdo M, Gorostiaga EM, Avela J, Korhonen J, Knuutila VP, Kraemer WJ, Häkkinen K. Effects of Combined Strength and Endurance Training on Treadmill Load Carrying Walking Performance in Aging Men. *J Strength Cond Res*. 2010 Jun;24(6):1584-1595.

Salo PK, **Häkkinen AH**, **Kautiainen H**, **Ylinen JJ**. Effect of neck strength training on health-related quality of life in females with chronic neck pain: a randomized controlled 1-year follow-up study. *Health Qual Life Outcomes*. 2010 May 14;8:48.

Hakulinen MA, Borg H, **Häkkinen A**, **Parviainen T**, **Kiviranta I**, Jurvelin JS. Quantification of bone density of the proximal femur after hip resurfacing arthroplasty--comparison of different DXA acquisition modes. *J Clin Densitom*. 2010 Oct-Dec;13(4):426-32

Ylinen JJ, **Kautiainen HJ**, **Häkkinen AH**. Comparison of active, manual, and instrumental straight leg raise in measuring hamstring extensibility. *J Strength Cond Res*. 2010 Apr;24(4):972-7.

Hämäläinen H, **Arkela-Kautiainen M**, **Kautiainen H**, Haapasaari J, Leirisalo-Repo M. Bone mineral content in young adults with active or inactive juvenile idiopathic arthritis and in controls. *Scand J Rheumatol*. 2010 May;39(3):219-22

Korniloff K, **Häkkinen A**, Koponen H, **Kautiainen H**, Petlonen M, Mäntyselkä P, Oksa H, Kampman O, **Vanhala M**. Leisure-time physical activity and metabolic syndrome plus depressive symptoms in the FIN-D2D survey. *Prev Med*. 2010 Dec;51(6):466-70.

Häkkinen A, Rinne M, Vasankari T, Santtila M, Häkkinen K, Kyröläinen H. Association of physical fitness with health-related quality of life in Finnish young men *Health and quality of life outcomes* 2010, 8:15doi:10.1186/1477-7525-8-15.

Matikka H, Keshvari J, Lappalainen R: Temperature changes associated with radiofrequency exposure near authentic metallic implants in the head phantom—a near field simulation study with 900, 1800 and 2450 MHz dipole. *Phys.Med.Biol.* 2010;44:5867

Salmela SM, **Kettunen T**, Poskiparta M: Vaikuttavan elintapaohjausintervention suunnittelu – helpommin sanottu kuin tehty? *Sosiaalilääketieteellinen aikakauslehti* 2010;47:208-218.

Järvelä S, Järvelä T, Aho H, **Kiviranta I**. Arthroscopic subacromial decompression: outcome comparison between outpatient and hospitalized patients with 2 to 5-year follow-up. *Scand J Surg* 99(1):50-4, 2010. Ksshp jäänyt listalta pois; aineistossa KSSHP:n potilaita jotka myös jälkitarkastettu KSSHP:ssa.

Pulkkinen HJ, Tiitu V, Valonen P, Jurvelin JS, Lammi MJ, **Kiviranta I**. Engineering of cartilage in recombinant human type II collagen gel in nude mouse model in vivo. *Osteoarthritis & Cartilage.* 18(8):1077-87, 2010

Långsjö TK, Vasara AI, Hyttinen MM, Lammi MJ, Kaukinen A, Helminen HJ, **Kiviranta I**. Quantitative Analysis of Collagen Network Structure and Fibril Dimensions in Cartilage Repair with Autologous Chondrocyte Transplantation. *Cells Tissues Organs.* 2010;192(6):351-60.

Salpakoski A, Portegijs E, **Kallinen M**, Sihvonen S, **Kiviranta I**, Alen M, Rantanen T, Sipilä S. Physical Inactivity and Pain in Older Men and Women with Hip Fracture History. *Gerontology.* 2011;57(1):19-27. Epub 2010 May 28.

Palve K, Rinne K, **Aukee P**, Kivelä A, Laurikainen E, Takala T, Valpas A, Nissson CG. A randomized trial comparing tension-free vaginal tape with tension-free vaginal tape-obturator: 36-month result. *Int Urogynecol J* 2010;21:1049-1055

Aukee P, Tihtonen K. Raskauden ja synnytyksen vaikutus lantionpohjan toimintahäiriöihin. *Duodecim* 2010;126:2381-2386.

Nieminen K, Hiltunen R, Takala T, **Heiskanen E**, Merikari M, Niemi K, Heinonen PK. Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. *American Journal of Obstetrics & Gynecology.* 2010;203:235-8

Palmroth J, Namujju P, Simen-Kapeu A, Kataja V, Suecel HM, Tuppurainen M, **Yliskoski M**, Syrjänen K, Lehtinen M. Natural seroconversion to high-risk human papillomaviruses (hrHPVs) is not protective against related HPV genotypes. *Scand J Infect Dis* 2010;42:379-84.

Anttila PN, Bützow R, Heikkilä E, Hiltunen-Back E, Mäenpää J, Puistola U, Rantanen V, Räisänen I, Santalahti A, Talvensaari-Mattila A, Vartiainen J, Vuento M, **Yliskoski M**: Update on current care guidelines. Diagnosis, treatment and follow-up of cytological changes in the cervix, vagina and vulva. *Duodecim* 2010;126:1965-1966

Korkeila P, Mustonen P, Koistinen J, **Nyman K**, Ylitalo A, Karjalainen P, Lund J, Airaksinen J. Clinical and laboratory risk factors of thrombotic complications after pacemaker implantation: a prospective study. *Europace* 2010;12:817-824.

Pärssinen O, Jauhonen H-M, Kauppinen M, Kaprio J, Koskenvuo M, Rananen T. Heritability of spherical equivalent: A population-based twin study among 63- to 76-year-old female twins. *Ophthalmology* 2010;1908-1011.

Axel A, **Kirjavainen J**, Salanterä S, Lehtonen L. Effects of pain management on sleep in preterm infants. *Eur J Pain* 2010;14:752-8.

Harjola V-P, Costa S, Sund R, Ylikangas S, Siirilä-Waris K, **Melin J**, Peuhkurinen K, Nieminen MS. The type of acute heart failure and the costs of hospitalization. *International Journal of Cardiology* 2010;145:103-105.

Saaristo T, Moilanen L, Jokelainen J, Korpi-Hyövälti E, **Vanhala M**, **Saltevo J**, Niskanen L, Peltonen M, Oksa H, Cederberg H, Tuomilehto J, Uusitupa M, Keinänen-Kiukaanniemi S. Cardiometabolic profile of people screened for high risk of type 2 diabetes in a national diabetes prevention programme (FIN-D2D). *Prim Care Diabetes* 2010;4:231-9.

Jawaheer D, Olsen J, Lahiff M, Forsberg S, Lähteenmäki J, da Silveira IG, Rocha FA, Magalhães Laurindo IM, Henrique da Mota LM, Drosos AA, Murphy E, Sheehy C, Quirke E, Cutolo M, Rexhepi S, Dadoniene J, Verstappen SM, **Sokka T**; QUEST-RA. Gender, body mass index and rheumatoid arthritis disease activity: results from the QUEST-RA Study. *Clin Exp Rheumatol*. 2010 Jul-Aug;28(4):454-61.

Sokka T, **Mäkinen H**. Remission makes its way to rheumatology. *Arthritis Res Ther*. 2010;12(4):129.

Chung CP, Oeser A, Raggi P, **Sokka T**, Pincus T, Solus JF, Linton MF, Fazio S, Stein CM. Lipoprotein subclasses determined by nuclear magnetic resonance spectroscopy and coronary atherosclerosis in patients with rheumatoid arthritis. *J Rheumatol*. 2010 Aug 1;37(8):1633-8.

Sokka T. How should rheumatoid arthritis disease activity be measured today and in the future in clinical care? *Rheum Dis Clin North Am*. 2010 May;36(2):243-57.

Smolen JS, Landewé R, Breedveld FC, Dougados M, Emery P, Gaujoux-Viala C, Gorter S, Knevel R, Nam J, Schoels M, Aletaha D, Buch M, Gossec L, Huizinga T, Bijlsma JW, Burmester G, Combe B, Cutolo M, Gabay C, Gomez-Reino J, Kouloumas M, Kvien TK, Martin-Mola E, McInnes I, Pavelka K, van Riel P, Scholte M, Scott DL, **Sokka T**, Valesini G, van Vollenhoven R, Winthrop KL, Wong J, Zink A, van der Heijde D. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs. *Ann Rheum Dis*. 2010 Jun;69(6):964-75.

Sokka T, Kautiainen H, Pincus T, Verstappen SM, Aggarwal A, Alten R, Andersone D, Badsha H, Baecklund E, Belmonte M, Craig-Müller J, da Mota LM, Dimic A, Fathi NA, Ferraccioli G, Fukuda W, Géher P, Gogus F, Hajjaj-Hassouni N, Hamoud H, Haugeberg G, Henrohn D, Horslev-Petersen K, Ionescu R, Karateew D, Kuuse R, Laurindo IM, Lazovskis J, Luukkainen R, Mofti A, Murphy E, Nakajima A, Oyoo O, Pandya SC, Pohl C, Predeteanu D, Rexhepi M, Rexhepi S, Sharma B, Shono E, Sibia J, Sierakowski S, Skopouli FN, Stropuviene S, Toloza S, Valter I, Woolf A, Yamanaka H; QUEST-RA. Work disability remains a major problem in rheumatoid arthritis in the 2000s: data from 32 countries in the QUEST-RA study. *Arthritis Res Ther*. 2010;12(2):R42.

Saaristo T, Moilanen L, Jokelainen J, Korpi-Hyövälti E, **Vanhala M, Saltevo J**, Niskanen L, Peltonen M, Oksa H, Cederberg H, Tuomilehto J, Uusitupa M, Keinänen-Kiukaanniemi S. Cardiometabolic profile of people screened for high risk of type 2 diabetes in a national diabetes prevention programme (FIN-D2D). *PrimCare Diabetes*. 2010 Dec;4(4):231-9.

Mäntyselkä P, Korniloff K, Saaristo T, Koponen H, Eriksson J, Puolijoki H, Timonen M, Sundvall J, Kautiainen H, **Vanhala M**. Association of depressive symptoms with impaired glucose regulation, screen-detected, and previously known type 2 diabetes: findings from the Finnish D2D Survey. *Diabetes Care*. 2011 Jan;34(1):71-6.

Mäntyselkä P, **Kautiainen H, Vanhala M**. Prevalence of neck pain in subjects with metabolic syndrome--a cross-sectional population-based study. *BMC Musculoskelet Disord*. 2010 Jul 30;11:171.

Saaristo T, Moilanen L, Korpi-Hyövälti E, **Vanhala M, Saltevo J**, Niskanen L, Jokelainen J, Peltonen M, Oksa H, Tuomilehto J, Uusitupa M, Keinänen-Kiukaanniemi S. Lifestyle intervention for prevention of type 2 diabetes in primary health care: one-year follow-up of the Finnish National Diabetes Prevention Program (FIN-D2D). *Diabetes Care*. 2010 Oct;33(10):2146-51.

Koponen H, Jokelainen J, Keinänen-Kiukaanniemi S, **Vanhala M**. Depressive symptoms and 10-year risk for cardiovascular morbidity and mortality. *World J Biol Psychiatry*. 2010 Sep;11(6):834-9. PubMed PMID: 20632843.

Liukkonen T, **Vanhala M**, Jokelainen J, Keinänen-Kiukaanniemi S, Koponen H, Timonen M. Effect of menopause and use of contraceptives/hormone therapy on association of C-reactive protein and depression: a population-based study. *J Psychosom Res*. 2010 Jun;68(6):573-9.

Puustinen PJ, Koponen H, Kautiainen H, Mäntyselkä P, **Vanhala M**. Gender-specific association of psychological distress with cardiovascular risk scores. *Scand J Prim Health Care*. 2010 Mar;28(1):36-40.

Mäntyselkä P, Lupsakko T, **Kautiainen H, Vanhala M**. Neck-shoulder pain and depressive symptoms: a cohort study with a 7-year follow-up. *Eur J Pain* 2010;14:189-93.

Niemenmaa H, Mäkelä T, Jussila A, Krekelä I, **Voutilainen M**, Björknäs H, Hirvioja A, Kaukainen K, Collin P. The diagnostic value of video capsule endoscopy. *Eur J Inter Med* 2010;21:383-5.

Voutilainen M. Esophagoscopy monitoring of Barrett's esophagus--additional life years of good quality of wasting of limited resources? *Duodecim* 2010;126:507-14

Eriksson BI, Turpie AG, Lassen MR, Prins MH, Agnelli G, Kälebo P, Wetherill G, Wilpshaar JW, Meems L; ONYX-2 STUDY GROUP. Prevention of venous thromboembolism with an oral factor Xa inhibitor, YM150, after total hip arthroplasty. A dose-finding study (**ONYX-2**). *J Thromb Haemost*. 2010 Apr;8(4):714-21 *) **Pesola M** (osallistunut tutkimukseen potilasaineistolla)

Rantalaiho V, Korpela M, Laasonen L, **Kautiainen H**, Järvenpää S, **Hannonen P**, Leirisalo-Repo M, Blåfield H, Puolakka K, Karjalainen A, Möttönen T; FIN-RACoTrial Group. Early combination disease-modifying antirheumatic drug therapy and tight disease control improve long-term

radiologic outcome in patients with early rheumatoid arthritis: the 11-year results of the Finnish Rheumatoid Arthritis Combination Therapy trial. *Arthritis Res Ther.* 2010;12(3):R122.

Smolen JS, Aletaha D, Bijlsma JW, Breedveld FC, Boumpas D, Burmester G, Combe B, Cutolo M, de Wit M, Dougados M, Emery P, Gibofsky A, Gomez-Reino JJ, Haraoui B, Kalden J, Keystone EC, Kvien TK, McInnes I, Martin-Mola E, Montecucco C, Schoels M, van der Heijde D; **T2T Expert Committee**. Treating rheumatoid arthritis to target: recommendations of an international task force. *Ann Rheum Dis.* 2010Apr;69(4):631-7. * T2T Expert Committee: **Hannonen P ja Sokka T**

Tuovinen V, Suuronen R, **Teittinen M**, **Nurmenniemi P**. Comparison of the stability of bioabsorbable and titanium osteosynthesis materials for rigid internal fixation in orthognathic surgery. A prospective randomized controlled study in 101 patients with 192 osteotomies. *Int J Oral Maxillofac. Surg* 2010;39:1059-1065

Saaristo T, Moilanen L, Jokelainen J, Oksa H, Korpi-Hyövälti E, **Saltevo J**, **Vanhala M**, Niskanen L, Peltonen M, Tuomilehto J, Uusitupa M, Keinänen-Kiukaanniemi S. Diabetesriskiä voidaan vähentää perusterveydenhuollon keinoin. *Suomen Lääkärilehti* 2010;26:2369-

Salokorpi T, Saaristo T, Korpi-Hyövälti E, Oksa H, Keinänen-Kiukaanniemi S, **Saltevo J**, **Vanhala M**, Niskanen L, Moltchanova E, Sundvall J, Tuomilehto J, Uusitupa M, Peltonen M. Lihavuuden ja glukoosi-aineenvaihdunnan häiriöiden esiintyvyydessä on selviä alueellisia eroja Suomessa. *Suomen Lääkärilehti* 2010;26:2381

Kotronen A, Yki-Järvinen H, Männistö S, Saarikoski L, Korpi-Hyövälti E, Oksa H, **Saltevo J**, Saaristo T, Sundvall J, Tuomilehto J, Peltonen M. Non-alcoholic and alcoholic fatty liver disease- two diseases of affluence associated with the metabolic syndrome and type 2 diabetes: the FIN-D2D survey. *BMC Public Health* 2010;10:237.

Pöllänen E, Ronkainen P, Horttanainen M, Takala T, **Puolakka J**, Suominen H, Sipilä S, Kovanen V. Effects of combined hormone replacement therapy on its effective agents on the IGF-1 pathway in skeletal muscle. *Growth Hormone & Research* 2010;372-379.

Jalkanen A, Alanen A, Airas L, and the Finnish Multiple Sclerosis and Pregnancy study group* Preganancy outcome in women with multiple sclerosis: results from a prospective nationwide study in Finland. *Multiple Sclerosis* 2010;16:950-955. * **Sarasoja Taneli** (5 potilasta)

Airas L, Jalkanen A, Alanen A, Pirttilä T, Marttila R: Breast-feeding, postpartum and prepregnancy disease activity in multiple sclerosis. *Neurology* 2010;75:474-476. Appendixissa **Sarasoja Taneli**

Holma S, Koivula M, Joronen K. Kipupotilaiden kokemuksia ryhmäohjauksesta. *Hoitotiede* 2010;22:291-301.

Kanerva A, Lammintakanen J, **Kivinen T**. Experiences of the fairness of recruitment from unsuccessful job candidates in the field of nursing. *Journal of Nursing Management* 2010;18:293-301.

Lammintakanen J, Saranto K, **Kivinen T**. Use of electronic information systems in nursing management. *International Journal of Medical Informatics* 2010;79:324-331.

Lammintakanen J, **Kivinen T**, Kinnunen J. Managers' perspectives on recruitment and human resource development practices in primary health care. *International Journal of Circumpolar Health* 2010;69 (5):462-469.

Virkkunen J: Risk Factors, Survival and Impact of Invasive Treatment in symptomatic chronic lower limb ischemia. Väitöskirja, Tampere 2010

Ahola TL, Kantola IM, Puukka P, Kattainen A, Klaukka T, Reunanen A, Jula AM. Positive change in the utilization of antihypertensive and lipid-lowering drugs among adult CHD patients in Finland: results from a large national database between 2000 and 2006. *European Journal of Cardiovascular Prevention and Rehabilitation* 2010;17:477-485.

Branco JC, Zachrisson O, Perrot S, Mainguy, on behalf of the Multinational coordinatro study group * **Appendix: Pekka Hannonen (10 potilasta)**. A European multicenter randomized double-blind placebo-controlled monotherapy Clinical Trial of Milnacipran in treatment of fibromyalgia. *J Rheumatol* 2010;37:851-9.

Karstila KL, Rantalaiho VM, Mustonen JT, Möttönen TT, **Hannonen PJ**, Leirisalo-Repo M, Kaipainen-Seppänen OA, Karjalainen AH, Korpela MM for the FIN-RACo Trial group. Renal safety of initial combination versus single DMARD therapy in patients with early rheumatoid arthritis: an 11-year experience from the FIN-RACo Trial. *Clinical and Experimental Rheumatology* 2010;28:73-78.

Hannonen P, Korpela M. Biologiset lääkkeet nivelreuman hoidossa: milloin, mahdollisuudet, vaarat? *Duodecim* 2010;126:1451-3.

Aschner P, Katzeff HL, Guo H, Sunga S, Williams-Herman D, Kaufman KD, Goldstein BJ for the **Sitagliptin Study group (Saltevo J; 20 potilasta)**. Efficacy and safety of monotherapy of sitagliptin compared with metformin in patiets with type 2 diabetes. *Diabetes, Obesity and Metabolism* 2010;12:252-261.

Kantojärvi K, Onkamo P Vanhala R, **Alen R**, Dedman M, Sajantila A, Nieminen- von Wendt, Järvelä I. Analysis of 9p24 and 11p12-13 reions in autism spectrum

disorders: rs1340513 in the JMJD2C gene is associated with ASDs in Finnish sample. *Psychiatric Genetics* 2010;20:102-108.

Järvinen TLN, Alami GB, Karlsson J. Anterior Cruciate ligament graft fixation – a myth busted? *The Journal of arthroscopic and related surgery* 2010;26:681-684.

Mäkelä S, Jaatinen P, **Miettinen M**, Salmi J, Ala-Houhala I, Huhtala H, Hurme M, Pörsti I, Vaheri A, Mustonen J. Hormonal deficiencies during and after Puumala hantavirus infection. *Eur J Microbiol Infect Dis* 2010;29:705-713.

Miettinen M, Mäkelä S, Ala-Houhala I, Huhtala H, Hurme M, Kööbi T, Partanen J, Pasternack A, Vaheri A, Pörsti I, Mustonen J. The severity of acute Puumala hantavirus infection does not predict the long-term outcome of patients. *Nephron Clin Pract* 2010;116:89-94.

Kauppi A, Kumpulainen K, Karkola K, Vanamo T, **Merikanto J***. Maternal and paternal filicides: a retrospective review of filicides in Finland. *J am acad psychiatry law* 2010;38:2:229-238. *työsuhde KSSH:ssa alkanut 2.6.2009→

Peltola H, Pääkkönen M, Kallio P, Kallio MJ, Osteomyelitis-septic arthritis study group * **collaboratorina Merikanto J***. Short-versus long-term antimicrobial treatment for acute hematogenous osteomyelitis of childhood: prospective, randomized trial on 131 culture –positive cases. *Pediatr Infect Dis J* 2010; 29:1123-8. *työsuhde KSSH:ssa alkanut 2.6.2009→

Mrena J*, Wiksten J-P, Kokkola A, Nordling S, Ristimäki A, Haglund C. COX-2 is associated with proliferation and apoptosis markers and serves as an independent prognostic factor in gastric cancer. *Tumor Biol* 2010;31:1-7. *erikoislääkärinä KSSH:ssa vuodesta 2005 lähtien, tutkimusta tuettu kssh:n tevorahoin

Sironen RK, Seppä A, **Kuopio T**. Churg-Strauss syndrome manifested by appendicitis, cholecystitis and superficial micronodular liver lesions—an unusual clinicopathological presentation. *J Clin Pathol* 2010;63:848-50.

Nykänen M, Kuopio T. Protein and gene expression of estrogen receptor alpha and nuclear morphology of two breast cancer cell lines after different fixation methods. *Experimental and molecular pathology* 2010;88:265-271.

Talvinen K, Tuikkala J, **Nykänen M**, Nieminen A, Anttinen J, Nevalainen O, Hurme S, **Kuopio T**, Kronqvist P. Altered expression of p120catenin predicts poor outcome in invasive breast cancer. *J Cancer Res Clin Oncol* 2010;136:1377-87

Ravnborg M, Sorensen P, Andersson M, Gelius E, Jogen P, Elovaara I, Bartholome E, Constaninescu C, Beer K, Garde E, Sperling B. Methyl

Naranjo A, Toloza S, Guimaraes da Silveira I, Lazovskis J, Hetland ML, Hamoud H, Peets T, Mäkinen H, Gossec L, Herborn G, Skopouli FN, Rojkovich B, Aggarwal A, Minnock P, Cazzato M, Yamanaka H, Oyoo O, Rexhepi S, Andersone D, Baranauskaite A, Hajjaj-Hassouni N, Jacobs JW, Haugeberg G, Sierakowski S, Ionescu R, Karateew D, Dimic A, Henrohn D, Gogus F, Badsha H, Choy E, Bergman M, **Sokka T**. Smokers and non smokers with rheumatoid arthritis have similar clinical status: data from the multinational QUEST-RA database. *Clin Exp Rheumatol*. 2010 Nov-Dec;28(6):820-7

Pincus T, Furer V, **Sokka T**. Underestimation of the efficacy, effectiveness, tolerability, and safety of weekly low-dose methotrexate in information presented to physicians and patients. *Clin Exp Rheumatol*. 2010 Sep-Oct;28(5 Suppl 61):S68-79

Sokka T. Increases in use of methotrexate since the 1980s. *Clin Exp Rheumatol*. 2010 Sep-Oct;28(5 Suppl 61):S13-20

Knevel R, Schoels M, Huizinga TW, Aletaha D, Burmester GR, Combe B, Landewé RB, Smolen JS, **Sokka T**, van der Heijde DM. Current evidence for a strategic approach to the management of rheumatoid arthritis with disease-modifying antirheumatic drugs: a systematic literature review informing the EULAR recommendations for the management of rheumatoid arthritis. *Ann Rheum Dis*. 2010 Jun;69(6):987-94.

Briggs FB, Ramsay PP, Madden E, Norris JM, Holers VM, Mikuls TR, **Sokka T**, Seldin MF, Gregersen PK, Criswell LA, Barcellos LF. Supervised machine learning and logistic regression identifies novel epistatic risk factors with PTPN22 for rheumatoid arthritis. *Genes Immun*. 2010 Apr;11(3):199-208.

Kautio AL, Haanpää M, **Kautiainen H**, Kalso E, Saarto T. Burden of chemotherapy-induced neuropathy—a cross-sectional study. *Support Care Cancer*. 2010 Nov 16. [Epub ahead of print] PubMed PMID: 21080201.

Pitkala KH, Raivio MM, Laakkonen ML, Tilvis RS, **Kautiainen H**, Strandberg TE. Exercise rehabilitation on home-dwelling patients with Alzheimer's disease—a randomized, controlled trial. Study protocol. *Trials*. 2010 Oct 6;11:92.

Puolakka K, **Kautiainen H**, Pohjolainen T, Virta L. Rheumatoid arthritis (RA) remains a threat to work productivity: a nationwide register-based incidence study from Finland. *Scand J Rheumatol*. 2010;39(5):436-8.

Pohjankoski H, **Kautiainen H**, Kotaniemi K, Korppi M, Savolainen A. Autoimmune diseases in children with juvenile idiopathic arthritis. *Scand J Rheumatol*. 2010;39(5):435-6. PubMed PMID: 20476854.

- Puolakka K, **Kautiainen H**, Pohjolainen T, Virta L. No increased mortality in incident cases of rheumatoid arthritis during the new millennium. *Ann Rheum Dis*. 2010 Nov;69(11):2057-8.
- Vähävihi K, Ylianttila L, **Kautiainen H**, Tuohimaa P, Reunala T, Snellman E. Spore film dosimeters are feasible for UV dose monitoring during heliotherapy. *Photochem Photobiol*. 2010 Sep-Oct;86.
- Vähävihi K, Ala-Houhala M, Peric M, Karisola P, **Kautiainen H**, Hasan T, Snellman E, Alenius H, Schaubert J, Reunala T. Narrowband ultraviolet B treatment improves vitamin D balance and alters antimicrobial peptide expression in skinlesions of psoriasis and atopic dermatitis. *Br J Dermatol*. 2010 Aug;163(2):321-8.
- Jauhiainen T, Rönneback M, Vapaatalo H, Wuolle K, **Kautiainen H**, Groop PH, Korpela R. Long-term intervention with *Lactobacillus helveticus* fermented milk reduces augmentation index in hypertensive subjects. *Eur J Clin Nutr*. 2010 Apr;64(4):424-31.
- Takala JH, **Kautiainen H**, Leirisalo-Repo M. Survival of patients with Wegener's granulomatosis diagnosed in Finland in 1981-2000. *Scand J Rheumatol*. 2010;39(1):71-6.
- Tiippana-Kinnunen T, Paimela L, **Kautiainen H**, Laasonen L, Leirisalo-Repo M. Can disease-modifying anti-rheumatic drugs be discontinued in long-standing rheumatoid arthritis? A 15-year follow-up. *Scand J Rheumatol*. 2010;39(1):12-8.
- Kallio-Laine K, Seppänen M, Aittoniemi J, **Kautiainen H**, Seppälä I, Valtonen V, Färkkilä M, Kalso E, Lokki ML. HLA-DRB1*01 allele and low plasma immunoglobulin G1 concentration may predispose to herpes-associated recurrent lymphocytic meningitis. *Hum Immunol*. 2010 Feb;71(2):179-81.
- Lehto EM, Heikkilä S, **Kautiainen H**, Kauppi MJ. The clinical picture of atlantoaxial subluxation changes when atlantoaxial impaction develops. *Joint Bone Spine*. 2010 Mar;77(2):159-64.
- Haahtela T, Petman L, Järvenpää S, **Kautiainen H**. Laatu allergiatestaukseen ja tulosten tulkintaan. *Duodecim* 2010;126:529-35.
- Linko R, Suojaranta-Ylinen R, Karlsson S, Ruokonen E, Varpula T, Penttilä V and the FINNALI Study Investigators appendixissa **Laru-Sompa Raili**. One-year mortality, quality of life and predicted life-time cost-utility in critically ill patients with acute respiratory failure. *Critical Care* 2010;14:R60:8-9.
- Karppi P, Rahkonen T, **Rissanen A**, **Puuronen S**, **Kalliopohja K**, **Suhonen J**. Käypä hoito –suositusten toteutuminen Keski-Suomen

muistipotilaiden hoitoketjussa. Suomen Lääkärilehti 2010;20:1833-1833-1838.

Meretoja A, Roine RO, Kaste M, Linna M, Roine S, Juntunen M, Erilä T, Hillbom M, Marttila R, **Rissanen A**, Sivenius J, Häkkinen U. Effectiveness of primary and comprehensive stroke centers perfect stroke: a nationwide observational study from Finland. Stroke 2010;41:1102-1107.

Meretoja A, Roine RO, Kaste M, Linna M, Juntunen M, ERilä T, Hillbom M, Marttila R, **Rissanen A**, Sivenius J, Häkkinen U. Stroke monitorin on a national level perfect stroke, a comprehensive, registry-linkage stroke database in Finland. Stroke 2010;41:2239-2246.